



Quick Start Guide



GIVES
PEACE OF MIND
WHEREVER YOU ARE



HOME



OFFICE



RETAIL



WAREHOUSE



Welcome

Thank you for choosing HOMEGUARD.
Getting starting is easy.


What's included



Camera



Antenna



Quick Start Guide



User Manual



Power Adapter



Ethernet Cable



Warning Sticker



Tapping screw

Part names & Functions

Built-in Storage

The Wireless Bullet Camera records footage to the built-in 8GB Micro SD card or via FTP

Weather

Resistant Polycarbonate casing

HD Video

Camera captures full colour, high quality 720P video in the day and switches to infrared (B&W) at dusk to continue recording clear 720P video even in total darkness.



Wireless Transmission

Connect wirelessly to your router so you can view securely on your PC, Smartphone or Tablet from anywhere in the world.

DO-IT-YOURSELF


Quick and easy to install with an adjustable mount allowing you to get the perfect viewing angle and lock it securely in place

Get the App

For the best experience, download the Homeguardcare app for your smartphone by scanning the QR code below or searching for "Homeguardcare" in the app store.




Step 1 Network Connection



● Connect the AC adapter to your camera and plug it in.

● Connect the camera to your router using an Ethernet cable.




● Make sure you are within range of the same Wi-Fi network you'll use for your camera.


Step 2 Camera Settings



1 Click "add camera"




2 Click "Scan QR Code"




3 Enter the default Password "123456"


Step 3 Wireless Connection




1 Click the setting button




2 Click "Advanced Settings"



3 Click "WiFi Setting"



4 Choose your home "Router" and type in the "Password"



You're Done!


Congratulations! Your HOMEGUARD Camera is set up and ready to go.

- You can now safely disconnect your Ethernet cable.
- You are now free to position your camera anywhere in your home where you get a WiFi signal and view it remotely from anywhere in the world on your Smartphone or Tablet!
- Please remember to change your password in the Advanced Setting-User Setting.
Record your new password here: _____.

OR YOU CAN CHOOSE **One Key WiFi Connection**

Before you begin your IP Camera Set up, please:

- ✓ Have your IP Camera and power adapter ready.
- ✓ Have your iOS / android device available to download the Homeguardcare app.
- ✓ Make sure you are within range of the same Wi-Fi network you'll use for your camera.
- ✓ Run the app and add camera by scan the QR code at the bottom of the camera; Then input the user name and password.
- ✓ Click "More", select "Wi-Fi Config", fill in the Wi-Fi password and click "Configuration".




Tips:

1. Please put your smartphone near to the router.
2. Input WiFi SSID and password, click config button, then WiFi setup is finished.
3. When WiFi indicator flash slowly (camera will be in this status after powered-on and hold for 5 minutes), it means you can start config WiFi. After config is successful, WiFi indicator will flash fast for a while.

Live View


Tap the monitoring screen, the video menu action bar will appear.



Monitoring Options

Tap Menu you can turn ON/OFF the IR LED and Set or Call Preset (For PTZ camera).

- 1 Cruise Vertically
- 2 Cruise Horizontally
- 3 Menu
- 4 Flip
- 5 Mirror
- 6 Exit
- 7 Snapshot to phone
- 8 Record to phone
- 9 Listen Off
- 10 Talk Off
- 11 Contrast
- 12 Brightness
- 13 Restore to Default
- 14 Resolution QVGA/VGA/720p
- 15 Contract



View from Mac or Windows PC

Install Homeguardcare software for your Mac or Windows PC from the included CD.



Specifications

Item	Description
Hardware Features	10/100Mbps RJ45 Port
	WI-FI Support
	Power Interface
	Reset Button
	Built-in 8G MicroSD Card
	36 infrared LED, 15m Night Vision Range
Resolution	1280 x 720, 640 x 360, 320 x 180
IR-CUT	Yes
Compression / Max Frame Rate	H.264/MJPEG, 30fps
Image Sensor / Lens	1/4" CMOS Sensor, f=3.6mm, F=2.0 Viewing Angle: 60°
Motion Detection	Supported, Will Activate Camera
Security Protocols	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK, WPS
Camera Dimensions	67mm x 181mm x 65mm
Power Input	12V DC, < 8W
Weatherproof	IP67

